70

ENTER FILE NO. FROM LETTER 109,0579

109-0833

## CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD LOS ANGELES REGION

## CHEMICAL STORAGE AND USE QUESTIONNAIRE

		D = 4
		ANY NAME: PENNOYER-DODGE CO.
II.	FACI	LITY ADDRESS: 6634 SAN FERNANDO Rd. GLENDAJE
III.	FACI	LITY INFORMATION
	Α.	standard industrial classification code (sic): 3428
	в.	GENERATOR NUMBER (EPA/STATE): CAD-008356958
	c.	BRIEF DESCRIPTION OF OPERATIONS: Company Manufactures
		tolerances gages as DIMENTIONAL CONTrol devices
		The production system includes various grinding
		operations, cleaning AND Some chrome Plating
	D.	SEWER SYSTEM: INDUSTRIAL MUNICIPAL
		SEPTIC TANK CESS POOL
		WAS A DIFFERENT SEWER SYSTEM USED IN THE PAST?YES $\stackrel{\textstyle{\checkmark}}{}$ NO
		IF YES SPECIFY TYPE DATE CONVERTED
	E.	FACILITY OWNER ROBERT DODGE AND HAZEZ DODGE
	F.	HISTORY: DATE OPERATIONS BEGAN: 1948
		PRIOR OWNERS: This IS A family operation
		-

IV. CHEMICAL STORAGE AND USE AT THE SITE. Complete sections A-G (page 2) for all chemicals in current use or that have been used in the past, use additional sheets if necessary.

Indutud 10/19/94

A. CHEMICAL NAME: TOLURNE & AVOMATICS B. COMMON/TRADE NAME: Shell Tolu-Sold
USED AS SOLVENT  C. METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK  BARRELS X OTHER (specify)
D. QUANTITY STORED: +wo(2) 55 GAL drums
E. WASTE DISPOSAL METHOD: SEWERED HAULED_X_ ONSITE DISPOSAL
F. IS THE WASTE TREATED PRIOR TO DISPOSAL: YES X NO_  If yes, method of treatment: Company owned distillation system for continuos Re-cycle of solvent. Additional solvent is aboved towaxe up for evaporation on gages
G. IS THE WASTE STORED PRIOR TO DISPOSAL: YES NO
A. CHEMICAL NAME: Hydraulic OIL B. COMMON/TRADE NAME: AW Hydraulic USED AS CUTTING OIL 150 46
C. METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK BARRELSX OTHER (specify)
D. QUANTITY STORED: 1455 GAL AVUM 32x55 GAL MAINTAINED W/  QVINDING EQUIPMENT  E. WASTE DISPOSAL METHOD: SEWERED HAULED X ONSITE DISPOSAL
E. WASTE DISPOSAL METHOD: SEWERED HAULED ONSITE DISPOSAL
F. IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NO_X
G. IS THE WASTE STORED PRIOR TO DISPOSAL: YES NO
A. CHEMICAL NAME: SULVABLE OIL B. COMMON/TRADE NAME: QUAL STAR USED AS GVINDING COOLAND ON OUGVINDEN
C. METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK BARRELSY_ OTHER (specify)
D. QUANTITY STORED: 1 X ZO GALLON drum
E. WASTE DISPOSAL METHOD: SEWERED HAULED_X ONSITE DISPOSAL
F. IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NO
G. IS THE WASTE STORED PRIOR TO DISPOSAL: YES NO

	CHEMICAL NAME: Shell Thermiq O'( B. COMMON/TRADE NAME: Shell Thermin-Oil USEN AS heat transfer oil
c.	METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK BARRELS OTHER (specify)
D.	QUANTITY STORED: 1×15 GALLON'S
E.	WASTE DISPOSAL METHOD: SEWERED HAULED_X_ ONSITE DISPOSAL
F.	IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NOX
G.	IS THE WASTE STORED PRIOR TO DISPOSAL: YES X NO
Α.	CHEMICAL NAME: Chromic Acio B. COMMON/TRADE NAME: UNICHOOME CR-110
c.	USED IN Chrome PIATING METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK BARRELS OTHER (specify)
D.	QUANTITY STORED: 100 16.
Ε.	WASTE DISPOSAL METHOD: SEWERED HAULED ONSITE DISPOSAL
F.	IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NO
G.	IS THE WASTE STORED PRIOR TO DISPOSAL: YES NOX
Α.	CHEMICAL NAME: CR-ZO4 SRHS COMMON/TRADE NAME: UNICHYOMC
С.	VSED for STABALIZING CR 6+ IN the BATH  METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK BARRELS OTHER (specify) PIASTIC CARBOYS
D.	QUANTITY STORED:   GALLON
E.	WASTE DISPOSAL METHOD: SEWERED HAULED ONSITE DISPOSAL No
F.	IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NOX DISPOSAL: YES NOX
G.	IS THE WASTE STORED PRIOR TO DISPOSAL: YES NO

Α.	CHEMICAL NAME: Fume Suppress ANT B. COMMON/TRADE NAME: Fumitral (0)
c.	METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK BARRELS OTHER (specify)   CAN ON PLASTIC CAN BOYS
D.	QUANTITY STORED: 4 GALLONS
	WASTE DISPOSAL METHOD: SEWERED HAULED ONSITE DISPOSAL_NO
F.	IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NO NO NO
G.	IS THE WASTE STORED PRIOR TO DISPOSAL: YES NO
Α.	CHEMICAL NAME: SODIUM Hy Droxide B. COMMON/TRADE NAME: CAUSTIC SODA.
	METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK  BARRELS OTHER (specify) *5016. Carboy
D.	QUANTITY STORED: 35 CALLONS MAINTAINED IN EQUIP + 5016 MAX
E.	WASTE DISPOSAL METHOD: SEWERED HAULED_X ONSITE DISPOSAL
F.	IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NO
G.	IS THE WASTE STORED PRIOR TO DISPOSAL: YES_X NO
Α.	CHEMICAL NAME: B. COMMON/TRADE NAME:
c.	METHOD OF STORAGE: UNDERGROUND TANK ABOVE GROUND TANK BARRELS OTHER (specify)
D.	QUANTITY STORED:
Ε.	WASTE DISPOSAL METHOD: SEWERED HAULED ONSITE DISPOSAL
F.	IS THE WASTE TREATED PRIOR TO DISPOSAL: YES NO If yes, method of treatment:
G.	IS THE WASTE STORED PRIOR TO DISPOSAL: YES NO

- V. THIS QUESTIONNAIRE SHALL BE SIGNED BELOW AS FOLLOWS:
  - A. In the case of corporations, by a principal executive officer at the level of vice-president or his duly authorized representative if such representative is responsible for the overall operation of the facility, or
  - B. In case of a partnership, by a general partner, or
  - C. In the case of a sole proprietorship, by the proprietor, or
  - D. In the case of a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.

This questionnaire has been completed under penalty of perjury and, to the best of my knowledge, is true and correct.

Signature:  Printed Name: ROBERT DODGE  Title: VICE PRESIDENT	Date: 10-26-94 Phone: 818 5472100
Contact Name: Same As Aboup.	Phone: